



Specifications Noxion LED Panel  
Louvre Excell G2 15x150cm 3000K 38W  
UGR<15 Gloss Reflector | Warm White  
- Replaces 1x49W

[View Product](#)

General Information

|                          |                                                                 |
|--------------------------|-----------------------------------------------------------------|
| SKU                      | 235754                                                          |
| EAN                      | 8719157006460                                                   |
| Brand                    | Noxion                                                          |
| Manufacturer Name        | Noxion LED Louvre Excell G2. 38W 3000K 1500 Polish (1x49W eqv.) |
| Any Lamp all-in warranty | 6 Years                                                         |
| Average Lifetime (h)     | 70000                                                           |
| Series                   | Louvre Excell                                                   |

Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 1x49            |
| Wattage                     | 38              |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light colour options        | Single Color    |
| Luminous Flux (Lumen)       | 4050            |

|                          |                   |
|--------------------------|-------------------|
| Luminous Efficacy (lm/W) | 106.6             |
| Suitable for Outdoor     | No                |
| IP-rating                | IP20              |
| Impact Protection (IK)   | IK02 - 0.20 joule |
| Fixture Connection       | Terminal, 2-pole  |
| Finish of Reflector      | Gloss             |
| Driver Included          | Yes               |
| Power factor             | >0.90             |
| Product Type Category    | LED Panel         |

### Fixture Information

---

|                       |                                  |
|-----------------------|----------------------------------|
| Mounting Method       | Recessed                         |
| Unified Glare Rating  | < 19 - for offices and schools   |
| Optical Cover         | PET (Polyethylene Terephthalate) |
| Operating Temperature | -20 to +50                       |
| Emergency Lighting    | No Emergency Unit                |
| Colour of the Fixture | White                            |
| Housing               | Steel                            |
| Colour of material    | White                            |

### Dimensions

---

|                |          |
|----------------|----------|
| LED panel size | 150x15cm |
| Length (mm)    | 1495     |
| Width (mm)     | 150      |
| Height (mm)    | 55       |

### Sensor Information

---

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

